AD			
AD_{\perp}		 	

Award Number: DAMD17-01-1-0099

TITLE: Genetic Variation in the HSD3B2 Gene and Prostate Cancer

PRINCIPAL INVESTIGATOR: Juergen Reichardt, Ph.D.

CONTRACTING ORGANIZATION: University of Southern California

Los Angeles, CA 90033-1034

REPORT DATE: July 2003

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY	2. REPORT DATE	3. REPORT TYPE AND	DATES COVERE	D
(Leave blank)	July 2003	Annual (1 July	2002 - 30	Jun 2003)
4. TITLE AND SUBTITLE			5. FUNDING N	UMBERS
Genetic Variation in the HSD3B2 Gene and Prostate Cancer			DAMD17-01	-1-0099
a AUTHOR/O				
6. AUTHOR(S)				
Juergen Reichardt, Ph.D	:	0		
7. PERFORMING ORGANIZATION NAM	ME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION	
University of Southern C	'alifornia		REPORT NU	MBER
Los Angeles, CA 90033-1				
Los Angeles, CA 90053-1	.031			
E-Mail: reichard@hsc.usc.	edu			
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
U.S. Army Medical Resear	ch and Materiel Comma	and		
Fort Detrick, Maryland				
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY	STATEMENT			12b. DISTRIBUTION CODE
Approved for Public Rele		limited		
Improved for rubito here	,450, 5150115401011 011			,
				<u> </u>
13. ABSTRACT (Maximum 200 Words	5)			
				·
Prostate cancer is the most	t common cancer in Ar	nerican men. It is	also charac	terized by a substantial
racial/ethnic variation in ris	k: highest in African-Ar	nerican men, lowes	st in Asian	men and intermediate in
Caucasian and Latino men.				
prostatic growth and particula				
II β-hydoxysteroid dehydroge	mase. Our current progres	ss is nighlighted by	ine following	three findings. First, our
data indicate that the locus u	nder investigation is high	ily polymorphic in	constitutiona	l DNA. Furthermore, our
population-based investigation	ons are proceeding accord	ling to plan with M	IAPA techno	ology. Finally, our initial
biochemical results suggest th	nat this aim will also be co	mpleted soon.		

			•
14. SUBJECT TERMS			15. NUMBER OF PAGES
Prostate Cancer			7
			16. PRICE CODE
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE	OF ABSTRACT	
Unclassified	Unclassified	Unclassified	Unlimited

Table of Contents

Cover	1
SF 298	2
Table of Contents	3
Abstract	4
Overview	4
Progress Report	5
Key Research Accomplishments	6
Reportable Outcomes	6
Conclusions	7
References	
Appendices	

PROGRESS REPORT

Juergen K. V. Reichardt, PhD

Abstract

Prostate cancer is the most common cancer in American men. It is also characterized by a substantial racial/ethnic variation in risk: highest in African-American men, lowest in Asian men and intermediate in Caucasian and Latino men. We propose to investigate genetic variants of genes involved in the regulation of prostatic growth and particularly in androgen metabolism, particularly the HSD3B2 gene which encodes the type II β -hydoxysteroid dehydrogenase. Our current progress is highlighted by the following three findings. First, our data indicate that the locus under investigation is highly polymorphic in constitutional DNA. Furthermore, our population-based investigations are proceeding according to plan with MAPA technology. Finally, our initial biochemical results suggest that this aim will also be completed soon.

Overview

This proposal is part of a research program aimed at identifying genes involved in the predisposition to and progression of prostate cancer among various racial/ethnic groups in the US. Prostate cancer will be diagnosed in 220,900 men in the US in the year 2003 alone. Some 28,900 individuals die of this disease annually. Prostate cancer is characterized by substantial racial/ethnic variation in risk: highest in African-American men, lowest in Asian men and intermediate in Caucasian and Latino men. We proposed to investigate as our central hypothesis that genetic variants of genes involved in the regulation of prostatic growth and particularly in androgen metabolism by themselves and in combination significantly contribute to prostate cancer risk and progression. Specifically, we proposed to examine the hypothesis that DNA sequence variations in the type II 3β-hydoxysteroid dehydrogenase (HSD3B2) gene contribute substantially to the risk of prostate cancer particularly across racial/ethnic lines. The "candidate gene", HSD3B2, was chosen because the reaction substrate [i.e. dihydrotestosterone (DHT)] of the enzyme encoded by this gene modulates directly cell division in the prostate. Epidemiologic evidence suggests that variation in DHT levels play an important role in risk of prostate cancer. Thus, 3β-hydoxysteroid dehydrogenase activity encoded by HSD3B2 variant alleles may be important in regulating intraprostatic DHT steady state levels by controlling its degradation. This candidate gene encodes the enzyme that initiates the irreversible inactivation of DHT.

Specifically, in this project we proposed to test, using a case-control study approach within a multi-ethnic cohort study design, the association between prostate cancer risk and its progression and HSD3B2 allelic variants among four major racial-ethnic groups. Our original <u>three interrelated specific aims</u> were:

 To identify all allelic variants in the HSD3B2 locus by sequencing 200 men from four racial/ethnic groups (African-American, Japanese-American, Latino and Americans of European ancestry (Caucasian) men).

- To determine the relationship between the HSD3B2 gene and prostate cancer by genotyping polymorphic DNA markers in the HSD3B2 gene in up to 800 men with prostate cancer and controls from four racial/ethnic groups who are at very different risks of prostate cancer.
- To determine the *in vitro* biochemical properties of HSD3B2 variants identified in specific aims 1 and 2.

Progress Report

Pursuant to <u>specific aim 1</u>, we have sequenced in constitutional ("germline") DNA of 120 men with the following make-up: 30 from each of the four racial/ethnic groups (African-American, Asian-(Japanese-)American, Caucasian and Latino, the entire HSD3B2 gene. Half are prostate cancer cases, half are controls. Our sequencing has identified 17 additional polymorphisms that are highlighted above the gene in Fig. 1.





Figure 1: Newly discovered constitutional ("germline") SNPs in the HSD3B2 gene.

In short, the HSD3B2 gene in humans is highly polymorphic and our work has uncovered significant unreported additional genetic variation. This specific aim is complete as of this year.

In order to advance specific aim 2 we have begun genotyping 868 men for the D74N, E94Q, L236S and T366N constitutional DNA polymorphism that change amino acids and the T1362G SNP (cf. Fig. 1). Sample genotyping using a multiplex approach

(MAPA: Multiplex Automated Primer Extension Analysis; developed in this lab) on an ABI3100 instrument is shown in Fig. 2. The genotyping is about 2/3 complete since we genotyped 642 of 998 samples. All MAPA genotyping will be completed shortly and certainly by the end of this grant. The data analysis phase will then begin and investigate associations as appropriate.



<u>Figure 2:</u> Sample MAPA genotyping of the HSD3B2 gene on an ABI3100 automated sequencer. Only the last, T366N, SNP is polymorphic (heterozygous) in this sample.

We have made progress in <u>specific aim 3</u> on the *in vitro* biochemistry on several fronts. We have reconstructed all five missense SNPs in constitutional DNA (cf. Fig. 1) and plan to assay them soon. We have begun preliminary *in vitro* experiments and will then assay all mutants. We expect to make significant progress in the final year in this area.

Benchmarks 2003:

Specific aim 1: Complete.

Specific aim 2: Genotyping work is ~2/3 complete. Data analysis to follow in the final year.

Specific aim 3: Mutagenesis is complete. Assays to proceed in final year.

Addendum 10/03

Key Research Accomplishments

- 18 SNPs identified in constitutional DNA in the HSD3B2 gene.
- MAPA genotyping for 5 SNPs in the HSD3B2 gene is set up and ongoing.
- 5 SNPs are reconstructed in the HSD3B2 cDNA for *in vitro* analyses.

Reportable Outcomes

None to date.

Conclusions

Significant progress toward all three specific aims was made in the past year. We plan to complete all three specific aims in the coming 12 months.

Our research may result in better presymtomatic diagnosis of prostate cancer and will lead to a better fundamental understanding of the HSD3B2 gene and its enzyme.